

PRODUCT INFORMATION

PRODUCT NAME VASOIL ANTIFREEZE VG 12 + SOLUTION

DESCRIPTION VASOIL ANTIFREEZE VG12 + SOLUTION is long life Engine Coolant solution (antifreeze) based on mono ethylene glycol with carefully chosen additive package based on latest organic acid technology which is nitrite, amine, phosphate, borax & silicate free diluted in deionized water. It is suitable for both petrol and diesel engines.

PRODUCT USE

VASOIL ANTIFREEZE VG12 + SOLUTION, protects cooling systems of automotive and industrial gasoline and diesel engines and give the following properties:

1. Increased life time, allowing less frequent maintenance, thanks to the corrosion inhibitors which are little consumed in the time.
2. Thermal characteristics that permit effective engine cooling without boiling.
3. Elimination of deposit problems caused by the use of hard water.
4. Elimination of abrasives solids, which gives a better protection of the joints of the water pump.
5. Improved anticorrosion protection of all metals and alloys used in the cooling system of modern vehicles, more over the aluminium.
6. Protection against frost, depending on the concentration chosen.
7. Excellent antifoaming characteristics.
8. Meets most European and International Standards.

The freezing point of the antifreeze solutions is -18°C

SPECIFICATIONS

VASOIL ANTIFREEZE VG12+ SOLUTION

complies with the following quality standards and OEM specifications:

| | | OEM SPECIFICATIONS |
|--------------------|---------------------------------|---------------------------|
| • ASTM D3306 (USA) | • AFNOR NF R15-601 (France) | FORD WSS-M97B44-D |
| • ASTM D4656 (USA) | • FFV Heft R443 tests (Germany) | MB 325.3 |
| • SAE J 1034 (USA) | • AS 2108 (Australia) | RENAULT 41-01-001 |
| • BS 6580 (UK) | • UNE 26-361 (Spain) | VOLKSWAGEN VAG TL 774 D&F |
| • NATO S 759 | • CUNA NC 956-16 (Italy) | GENERAL MOTORS GM 6277M |
| | | MAN 324 SNF |