

TECHNICAL DATA SHEET

PRODUCT INFORMATION

PRODUCT NAME VASOIL BRAKE & CLUTCH FLUIDS DOT 4

DESCRIPTION **BRAKE & CLUTCH FLUIDS** are formulated as non-petroleum chemical fluids for use in the hydraulic brake and clutch systems of automotive vehicles. They offer complete protection against corrosion and rusting of metal parts, even in the presence of moisture. They possess high boiling points and low pour points. They do not affect natural or synthetic rubber washers.

PRODUCT USE

VASOIL BRAKE & CLUTCH FLUID is suitable for all hydraulic brake and clutch, disc and drum systems where this type of fluid is specified. They do not affect natural or synthetic rubber. It is offered blue or colorless.

ADVANTAGES

1. High boiling and low pour points.
2. Fine anti-foaming characteristics.
3. Compatibility with metal parts and rubber washers.
4. Excellent protection from oxidation, rust and corrosion.

CAUTION :

Harmful if swallowed. Avoid skin or eye contact. If split on paintwork, wash immediately with water.

SPECIFICATIONS

SAE J1703 - FMVSS 116 [DOT 4] ,SAE 1704, ISO 4925 Class 4 and JIS K2233

CHARACTERISTICS (TYPICAL PROPERTIES)

VASOIL BRAKE & CLUTCH FLUID	DOT 4 Specifications	Product Characteristics
Appearance		Amber liquid
Physical form		Liquid
Viscosity at -40 °C, mm ² /s	max 1800	1270
Viscosity at +100 °C, mm ² /s	min 1.5	2.1
Wet Equilibrium Reflux Boiling Point, °C	min 155	157
E.R.B.P, °C	min 230	260
PH		8.4